

Wall tiles

novelties



50 YEARS **KAI**

Tiles for every home

Wall tiles
novelties

50 YEARS **KAI**
Tiles for every home



Marble Athena White 24.4x74.4 R | Cemento Salvia Green 24.4x74.4 R | Terrazzo Veneto White 60x60 R

Index

4	50 Years KAI
8	Mix & Match
12	Neutral Shades
22	Bright Shades
32	Items
42	Matching
44	Technical Data



Marble Venato White 24.4×74.4 R | Canella Ochre 15.5×60.5

A long story of product research, excellent quality and innovation.

Established in 1973, KAI is the leader in the production and sale of ceramic tiles in Bulgaria and the region. KAI delivers products of high quality and modern design, reaching homes in over 25 countries around the world.

Vision

The main aim of the company is delivering high-quality products with modern design and excellent quality. KAI is determined to continue following the latest trends and

innovations in the worldwide ceramic industry, offering solutions to architects, designers and end consumers through innovation, quality, and customer satisfaction.

Key milestones

The 1980s

The continuous pursuit of advanced technology led KAI to secure additional machines and equipment in 1985. KAI starts production of floor tiles (monocottura) in size 20x20.

The 2000s

2004 KAI starts to produce porcelain tiles for the first time. Two years later, the company expands its portfolio manufacturing unglazed porcelain tiles.

The 2020s

In 2020 KAI implements the first rectification line. The company makes further strategic investments and during the year the first production of 2 cm thick tiles was started. In 2022, the company introduces new formats and finishes and invests in further technological investments to increase production and competitiveness.

The 1970s

KAI started-up its first production line, specializing in 15x15 double firing (bicottura) tiles, marking the company's first significant step in the ceramic industry.

The 1990s

In the mid-90s, KAI starting with the installation of the first roller kiln for wall tile double fast firing production in 1995. By 1998, the two ceramic factories pass a process of public privatization and became a group with main shareholder ECM (Europe Capital Management).


The 2010s

The decade began with the installation of the first digital machine for decoration and the production of first digital collections for wall and porcelain tiles. 2015 marked a milestone for KAI as it became part of Mohawk Industries, the world's biggest flooring manufacturer and a multinational group listed on the New York Stock Exchange. In 2018, KAI makes significant optimization in its warehouses, increasing their storage space and capacity. Through digital evolution and new websites, the company becomes more user friendly and communicative.

Mix of surfaces, colors and styles to design your personal mood.

KAI presents a specially designed collection with combining wall and floor coverings. Marble, concrete and wood are the inspirations for ceramic surfaces created to work together naturally through sizes, colors and structures that come together in a pleasing Mix & Match of refined, contemporary styles and solutions.

Residential and commercial spaces acquire naturalness and harmony, embracing the welcoming warmth and intimacy at the heart of the notion of "home" as somewhere always open to free interpretation.



Marble Venato White / Terrazzo Veneto White / Canella Ochre / Cemento Salvia Green

Neutral & Bright Shades

Neutral

Shades



Marble
Borgo beige
24.4×74.4 R



Ornamento
white
60×60 R

alternative
products




Marble
Athena white
24.4×74.4 R



Ornamento
white
60×60 R

alternative
products



Cemento
Perla white
24.4×74.4 R



Ornamento
white
60×60 R



Neutral

Shades



Marble
Borgo beige
24.4×74.4 R /
60×60 R




Decor Cemento
Cream Triangles beige
24.4×74.4 R


alternative
products




Cemento
Perla white
24.4×74.4 R



Cemento
Perla Diamond white
24.4×74.4 R



Cemento
Silver grey
24.4×74.4 R



Cemento
Cream beige
24.4×74.4 R



Decor Cemento
Cream Triangles beige
24.4×74.4 R



Alternative Suggestions



Cemento Perla white
24.4×74.4 R



Deco Set Cemento Perla Mimosa white
73.2×74.4 R

alternative products
A



Cemento Silver grey
24.4×74.4 R



Marble Venato Diamond white
24.4×74.4 R




Decor Cemento Cream Triangles beige
24.4×74.4 R


alternative products
B




Marble Borgo beige
24.4×74.4 R



Cemento Cream beige
24.4×74.4 R / 60×60 R



Decor Cemento Chevron Mix grey
24.4×74.4 R




Neutral

Shades



Marble
Borgo beige
60x60 R




Alpino beige
15.5x60.5

alternative
products



Marble
Borgo beige
60x60 R



Cemento
Cream beige
24.4x74.4 R




Neutral

Shades



Marble
Borgo beige
24.4×74.4 R




Ornamento
Mix beige
60×60 R

alternative
products



Cemento
Cream beige
24.4×74.4 R



Ornamento
Mix beige
60×60 R




Bright

Shades




Cemento Perla white
24.4×74.4 R



Marble Verde green
24.4×74.4 R



Marble Athena white
24.4×74.4 R



Cemento Salvia green
24.4×74.4 R



Onda Brown
15×90

alternative products



Marble Athena white
24.4×74.4 R




Marble Verde Geometric green
24.4×74.4 R

alternative products




Marble Athena Diamond white
24.4×74.4 R



Marble Verde green
24.4×74.4 R



Alternative Suggestions



Cemento
Salvia green
24.4×74.4 R /
60×60 R



Decor Cemento
Salvia Flora green
24.4×74.4 R

alternative products



Cemento
Perla white
24.4×74.4 R



Cemento
Salvia green
24.4×74.4 R /
60×60 R



Deco Set Cemento
Perla Magnolia white
73.2×74.4 R

alternative products



Marble
Athena white
24.4×74.4 R




Marble
Verde green
24.4×74.4 R /
60×60 R



Bright Shades




Marble Venato
white
24.4×74.4 R



Cemento
Rosa pink
24.4×74.4 R



Marble
Viola bordo
24.4×74.4 R



Deco Set Cemento
Perla Magnolia white
73.2×74.4 R



Tavolato brown
15.5×60.5



Marble Venato
Diamond white
24.4×74.4 R



Deco Set Cemento
Perla Magnolia white
73.2×74.4 R

alternative
products



Alternative Suggestions



Cemento Perla
Diamond white
24.4×74.4 R



Deco set Cemento
Perla Magnolia white
24.4×74.4 R

alternative products
A



Marble
Venato white
24.4×74.4 R




Marble
Viola bordo
24.4×74.4 R /
60×60 R



Decor Marble
Viola Geometric
bordo
24.4×74.4 R

alternative products
B



Cemento
Rosa pink
24.4×74.4 R /
60×60 R



Decor Marble
Viola Geometric
bordo
24.4×74.4 R



Marble
Viola bordo
24.4×74.4 R



Bright

Shades



Stoneline
light grey
30x60 R



Ornameto
grey
60x60 R

alternative
products



Evoque
light grey
30x60 R



Ornameto
grey
60x60 R



Items



Marble

Marble Athena
Marble Venato
Marble Borgo
Marble Verde
Marble Viola

Concrete

Cemento Perla
Cemento Cream
Cemento Silver
Cemento Salvia
Cemento Rosa

Terrazzo

Terrazzo Veneto

Geometric


Ornamento

Wood

Alpino
Ascot
Canella
Moringa
Tavolato
Braga
Como
Onda

Wall tile

Marble design

PACKING							24.4×74.4 R	
Size cm	Type	pc.	m ²	pc.	m ²	kg		
24.4×74.4 R	wall	6	1.09	54	58.82	915		



Marble Athena White
24.4×74.4 R



Marble Athena Diamond White
24.4×74.4 R



Marble Venato White
24.4×74.4 R




Marble Venato Diamond White
24.4×74.4 R



Marble Borgo Beige
24.4×74.4 R




Marble Verde Green
24.4×74.4 R




Marble Viola Bordo
24.4×74.4 R

Porcelain tile

Marble design

PACKING							60×60 R	
Size cm	Type	pc.	m ²	pc.	m ²	kg		
60×60 R	porcelain	3	1.08	48	51.84	985		




Marble Athena White
60×60 R



Marble Verde Green
60×60 R



Marble Venato White
60×60 R



Marble Viola Bordo
60×60 R




Marble Borgo Beige
60×60 R

Wall tile

Concrete design

PACKING

Size cm	Type	pc.	m ²	pc.	m ²	kg
24.4×74.4 R	wall	6	1.09	54	58.82	915



Cemento Perla White
24.4×74.4 R



Cemento Perla Diamond White
24.4×74.4 R



Cemento Cream Beige
24.4×74.4 R



Cemento Cream Diamond Beige
24.4×74.4 R



Cemento Silver Grey
24.4×74.4 R



Cemento Silver Diamond Grey
24.4×74.4 R



Cemento Salvia Green
24.4×74.4 R



Cemento Salvia Diamond Green
24.4×74.4 R



Cemento Rosa Pink
24.4×74.4 R



Cemento Rosa Diamond Pink
24.4×74.4 R

Porcelain tile

Concrete design

PACKING

Size cm	Type	pc.	m ²	pc.	m ²	kg
60×60 R	porcelain	3	1.08	48	51.84	985



60×60 R



Cemento Perla White
60×60 R



Cemento Salvia Green
60×60 R



Cemento Cream Beige
60×60 R



Cemento Rosa Pink
60×60 R



Cemento Silver Grey
60×60 R

Wall tile

Decors

PACKING

Size cm	Type	pc.	m ²	pc.	m ²	kg
24.4×74.4 R	decor	6	1.09	54	58.82	915
24.4×74.4 R	decor	4		40		

24.4×74.4 R



Cemento Cream Triangles Beige
24.4×74.4 R



Cemento Chevron Mix Grey
24.4×74.4 R



Marble Verde Geometric Green
24.4×74.4 R



Cemento Salvia Flora Green
24.4×74.4 R



Marble Viola Geometric Bordo
24.4×74.4 R

Wall tile

Deco sets

PACKING

Size cm	Type	pc.	m ²	pc.	m ²	kg
73.2×74.4 R	deco set (3)	1		40		

73.2×74.4 R



Cemento Perla Magnolia White
73.2×74.4 R



Cemento Perla Mimosa White
73.2×74.4 R



Porcelain tile

Terrazzo & Geometric design

PACKING						
Size cm	Type	pc.	m ²	pc.	m ²	kg
60×60 R	porcelain	3	1.08	48	51.84	985



Ornamento White
60×60 R




Terrazzo Veneto White
60×60 R



Ornamento Mix Beige
60×60 R



Terrazzo Veneto Grey
60×60 R




Ornamento Grey
60×60 R

Porcelain tiles

Wood Planks

PACKING						
Size cm	Type	pc.	m ²	pc.	m ²	kg
15.5×60.5	porcelain	11	1.03	48	49.5	1030
15×90	porcelain	8	1.08	48	51.8	1095



Alpino Beige
15.5×60.5



Braga Brown
15×90



Ascot Brown
15.5×60.5



Como Brown
15×90




Canella Ochre
15.5×60.5



Onda Brown
15×90



Canella Grey
15.5×60.5



Moringa Brown
15.5×60.5



Moringa Grey
15.5×60.5




Tavolato Brown
15.5×60.5

Matching

Wall & Floor

		Floor														
		Marble design 60×60					Cement design 60×60					Terrazzo & Ornamento 60×60				
		Athena	Venato	Borgo	Verde	Viola	Perla	Cream	Silver	Salvia	Rosa	Veneto	Veneto	White	Mix	Grey
Wall	Marble design 24.7×74.7	Athena	■		■	■		■		■		■	■		■	
		Venato		■			■			■					■	
		Borgo			■			■	■	■				■	■	
		Verde	■			■		■		■		■				
		Viola		■			■				■					
	Cement design 24.7×74.7	Perla	■	■	■	■	■	■	■	■	■	■	■	■		
		Cream			■			■	■	■				■	■	
		Silver	■		■	■		■	■	■	■	■	■			
		Salvia	■			■		■		■		■				
		Rosa		■			■				■					

		Floor										Wall				
		Wood planks 15.5×60.5 / 15×90										Cement design 24.7×74.7				
		Alpino	Ascot	Canella	Canella	Moringa	Moringa	Tavolato	Braga	Como	Onda	Perla	Cream	Silver	Salvia	Rosa
Wall	Marble design 24.7×74.7	Athena	■		■						■		■		■	
		Venato					■					■			■	
		Borgo	■	■	■	■		■				■	■	■		
		Verde									■	■		■	■	
		Viola					■			■		■			■	
	Cement design 24.7×74.7	Perla		■								■	■	■	■	
		Cream		■	■							■	■	■		
		Silver	■		■	■		■				■	■	■	■	
		Salvia						■			■	■		■		
		Rosa					■			■		■			■	



ТЕХНИЧЕСКИ СПЕЦИФИКАЦИИ ЗА КЕРАМИЧНИ ПЛОЧКИ TECHNICAL SPECIFICATION FOR CERAMIC TILES							EN 14411:2012
Характеристики/ Characteristics	Bla Annex G N≥15 cm	Blb Annex H N≥15 cm	Blla Annex J N≥15 cm	Bllb Annex K N≥15 cm	Blll Annex L N≥15 cm	Метод изпитване/ Testing Method	
	стена/wall под/floor	стена/wall под/floor	под/floor	под/floor	стена/wall	EN ISO	
A) РАЗМЕРИ И КАЧЕСТВО НА ПОВЪРХНОСТТА/ DIMENSIONS AND SURFACE QUALITY							
A.1 Дължина и ширина/Length and width							
a) Отклонение на средния размер от проектния/The permissible deviation of the average size from the work size	±0.6% max ±2mm	±0.6% max ±2mm	±0.6% max ±2mm	±0.6% max ±2mm	±0.5% max ±2mm	10545-2	
A.2 Дебелини/Thicknesses							
a) Дебелината се посочва от производителя/ The thickness shall be specified	Декларирана дебелина/Declared thickness					-	
b) Отклонение на ср.стойност от проектния p-p/ The permissible deviation of the average thickness from the work thickness	±5% max ±0.5mm	±5% max ±0.5mm	±5% max ±0.5mm	±5% max± 0.5mm	±10% max ±0.5mm	10545-2	
A.3 Праволинейност на ръбовете/ Straightness of sides	±0.5% max ±1.5mm	±0.5% max ±1.5mm	±0.5% max ±1.5mm	±0.5% max ±1.5mm	±0.3% max ±1.5mm	10545-2	
A.4 Правоъгълност/Rectangularity	±0.5% max ±2mm	±0.5% max ±2mm	±0.5% max ±2mm	±0.5% max ±2mm	±0.5% max ±2mm	10545-2	
A.5 Равнинност на повърхността/Surface flatness							
a) Огъване в центъра/Centre curvature	±0.5% max ±2mm	±0.5% max ±2mm	±0.5% max ±2mm	±0.5% max ±2mm	0.5%/-0.3% max +2/-1.5mm	10545-2	
b) Огъване на ръбовете/Edge curvature	±0.5% max ±2mm	±0.5% max ±2mm	±0.5% max ±2mm	±0.5% max ±2mm	0.5%/-0.3% max +2/-1.5mm	10545-2	
c) Изкривяване/Warpage	±0.5% max ±2mm	±0.5% max ±2mm	±0.5% max ±2mm	±0.5% max ±2mm	±0.5% max ±2mm	10545-2	
A.6.Качество на повърхността/Surface quality							
Плочки без видими дефекти/ Tiles with no visible defects	95%	95%	95%	95%	95%	10545-2	
B) ФИЗИЧНИ СВОЙСТВА/PHYSICAL PROPERTIES							
B.1 Водопоглъщаемост, % по маса/ Water absorption, % by mass							
	E≤0.5%	0.5%<E≤3%	3%<E≤6%	6%<E≤10%	Сред./Average E>10%	10545-3	
B.2 Сила на разрушаване за/Breaking strength for:							
a) дебелина≥7.5мм/thickness≥7.5mm	≥1300 N	≥1100 N	≥1000 N	≥800 N	≥600 N	10545-4	
b) дебелина<7.5мм/thickness<7.5mm	≥700 N	≥700 N	≥600 N	≥500 N	≥200 N		
B.3 Якост на огъване или якост на разрушаване/ Flexural tensile strength or modulus of rupture							
	Min 35 N/mm ²	Min 30 N/ mm ²	Min 22 N/ mm ²	Min 18 N/ mm ²	Деб./Thick≥7.5 mm min 12 N/mm ²	10545-4	
	Ед.мин.32/ Individual min 32 N/mm ²	Ед.мин.27/ Individual min 27 N/mm ²	Ед.мин.20/ Individual min 20 N/ mm ²	Ед.мин.16/ Individual min 16 N/ mm ²	Деб./Thick<7.5 mm min 15 N/mm ²	10545-4	
B.4 Износоустойчивост/ Abrasion resistance							
a) Дълбинна абразия/ Deep abrasion mm ³	max 175 mm ³	max 175 mm ³				10545-6	
b) Повърхностна абразия/Surface abrasion			max 345 mm ³	max 540 mm ³	-		
	Клас по износоустойчивост и брой цикли, на които издържат/ Abrasion class and cycles passed					10545-7	
B.5 Коефициент на линейно термично разширение/ Coefficient of linear thermal expansion							
От t ₀ на околната среда до 100°C/ From ambient t ₀ to 100°C	Декларирана стойност/Declared value					10545-8	

ТЕХНИЧЕСКИ СПЕЦИФИКАЦИИ ЗА КЕРАМИЧНИ ПЛОЧКИ TECHNICAL SPECIFICATION FOR CERAMIC TILES							EN 14411:2012
B.6 Устойчивост термичен шок/ Thermal shock resistance		Да издържат изпитването съгласно EN ISO 10545-1/ Pass according to EN ISO 10545-1				10545-9	
B.7 Рисуустойчивост глазирани плочки*/ Crazing resistance glazed tiles*		Да издържат изпитването съгласно EN ISO 10545-1/ Pass according to EN ISO 10545-1				10545-11	
B.8 Мразоустойчивост/Frost resistance		Да издържат/ Pass	Да изд./ Pass	Декл. с-т/ Decl.value	Декл. с-т/ Decl. value	Декл. с-т/ Decl. value	10545-12
B.9 Приплъзване/Slipperiness		Декларирана стойност/Declared Valued				CEN/TS 16165	
B.10 Якост на сцепление/адхезия, за:/ Bond strength, adhesion for:		Декларирана стойност/Declared Valued				EN 12004:2007+	
a) циментови лепила/cementitious adhesives		Декларирана стойност/Declared Valued				A1:2012,4.1 EN	
b) дисперсни лепила/dispersion adhesives		Декларирана стойност/Declared Valued				12004:2007+	
c) лепила от реактивни смоли/ reaction resin adhesives		Декларирана стойност/Declared Valued				A1:2012,4.2 EN	
d) строителен разтвор/mortar		Декларирана стойност/Declared Valued				12004:2007+	
B.11 Влажностно разширение, в мм/м/ Moisture expansion, in mm/m		Декларирана стойност/Declared Valued				A1:2012,4.3 NPD	
B.12 Малки разлики в цвета, за:/ Small color differences, for:		ΔEcmc <0.75 ΔE cmc <1.0	ΔEcmc <0.75 ΔE cmc <1.0	Ecmc <0.75 ΔE cmc <1.0	ΔEcmc <0.75 ΔE cmc <1.0	ΔEcmc <0.75 -	10545-16
a) глазирани плочки/Glazed tiles							
b) неглазирани плочки/Unglazed tiles							
B.13 Устойчивост на удар, като:/ Impact resistance as: Коефициент на възвратно движение/ Coefficient of restitution		Декларирана стойност/Declared Valued				10545-5	
B.14 Реакция на огън/Fire resistance		Клас A1/A1 FL Class A1/A1 FL				-	
B.15 Осезаемост/Tactility		Декларирано описание на повърхността/Declared surface description				CEN/TS 15209	
C) ХИМИЧНИ СВОЙСТВА/CHEMICAL PROPERTIES							
C.1 Устойчивост на образуване на петна, за: / Resistance to staining, for:		Минимум клас 3/min class 3					
a) глазирани плочки/Glazed tiles		Декларирана стойност/Declared Valued				10545-14	
b) неглазирани плочки/Unglazed tiles		Декларирана стойност/Declared Valued					
C.2 Устойчивост на химикали/ Resistance to chemicals		Декларирана стойност/Declared Valued				10545-13	
a) Устойчивост на разтвори на киселини и основи с ниска концентрация/ Resistance to low concentration of acids and alkalis		Декларирана стойност/Declared Valued				10545-13	
b) Устойчивост на разтвори на киселини и основи с висока концентрация/ Resistance to high concentration of acids and alkalis		Минимум клас B/min class B				10545-13	
c) Устойчивост на битови препарати и соли за плувни басейни/Resistance to household chemicals and swimming pool salts		Декларирана стойност/Declared Valued					
C.3 Отделяне на опасни вещества/ Release of dangerous substances		Декларирана стойност/Declared Valued				10545-15 10545-15 Който е приложим / As relevant	
a) Кадмий/Cadmium		Декларирана стойност/Declared Valued					
b) Олово/Lead (mg/dm ²)		Декларирана стойност/Declared Valued					
c) Други/Others		Декларирана стойност/Declared Valued					

*Някои декоративни ефекти могат да имат склонност към изкривяване. Те трябва да се посочват от производителя, като в този случай изпитването на рисуустойчивост не е приложимо./Certain decorative effects may have a tendency to craze. They are to be identified by the manufacturer, in which case the crazing test is not applicable.

Информацията в този каталог има ориентируващ характер и съдържанието под формата на снимки, съвети, логистична и продуктова информация би следвало да се разглежда като източник на вдъхновение и цели да информира потребителите относно последните тенденции при изграждането на различни интериорни/екстериорни дизайни. Потребителят е нужно да се запознае с продуктите характеристики и конкретните указания за използването на всеки продукт, които могат да бъдат намерени върху неговата опаковка. При различия в предоставената в този каталог информация и други източници, потребителят трябва се обърне към съответния производител и/или пред представляващия го дистрибутор.

Цветовете са възпроизведени приблизително.

Таблиците с данни за съдържанието на опаковката и за теглото са актуални към датата на печат на каталога, поради което е възможно да са настъпили промени в съдържанието се в него информацията.

KAI си запазва изключителното право да променя и заменя отделни части от илюстрираните в този каталог композиции, включително и само частично, без задължение да предупреждава предварително своите клиенти.

За повече технически / логистични детайли и сертификати, моля посетете нашия сайт www.kai.bg или изпратете имейл на info@kai.bg.

The information included in this catalogue is indicative and its content such as pictures, advice, logistic details, and production data should serve as a source of inspiration and aims to inform the customers about the recent trends in the interior/exterior design. The customer should consult the indications on the package of the product about the specific characteristics of the products and the instructions for its usage thereon. In case of discrepancies between the information included in this catalogue and in other sources, the customers are strongly advised to consult with the manufacturer and/or the seller of the product.










The color reproduction is approximately.

The tables with data referred to the content per box and to the packing weight are update at the catalogue printing time; therefore, the listed data can be altered.

KAI have the exclusive right to modify and replace the components of the compositions illustrated in this catalogue, even only partially and with no obligation to give prior notice thereof.

For more technical / logistic details & certifications, please refer to our website www.kai.bg or send an email to info@kai.bg.

Technical Features

-  Wall Tile
-  Rectified
-  Matt
-  Porcelain
-  Digital Technology
-  Plain variation of colour&design
-  Slight variation of colour&design
-  Medium variation of colour&design
-  Intensive variation of colour&design



Marble Venato White 24.4x74.4 R | Canella Ochre 15.5x60.5

KAI Headquartes

Head Office BG

KAI / Bulgaria

Sofia 1000
5 Slavianska str., fl. 3
tel.: +359 700 14 444
e-mail: sales@kai.bg

Showroom

KAI Corporate Showroom Sofia

Sofia 1784
90 Tsarigradsko shose blvd
Capital Fort building

Factory BG

Khan Asparuh AD / Bulgaria

Isperih 7400, 1 Ahinora Str.
tel.: +359 8431 2587
e-mail: sales@kai.bg

Khan Omurtag AD / Bulgaria

Shumen 9700, Varnensko Shousse Str.
tel.: +359 54 831 819
e-mail: saleskos@kai.bg

Office GR

KAI Keramica ltd / Greece

57009, Kalochori, Thessaloniki
Ionias str. P.O. Box 1019, Greece
e-mail: infogr@kai.bg

Office RO

KAI Ceramics / Romania

Șoseaua de Centură numărul 13
Oraș Chiajna, Județul Ilfov, România
e-mail: comenzi@kai.bg